

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: 05.19.2017

Page 1 of 11

EcoPoxy Medium Hardener

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Material Name: EcoPoxy Medium Hardener

Product code: EPH2265

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Fiber Composite Manufacture. Part B of two part resin system

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:	Supplier:
EcoPoxy	EcoPoxy
Box 220	Box 220
Morris, MB R0G 1K0	Morris, MB R0G 1K0
1-855-326-7699	855-326-7699
info@ecopoxy.com	info@ecopoxy.com

Emergency telephone number:

ChemTel Inc
+1 800 255 3924
+1 813 248 0585

2 Hazards identification

2.1 Classification of the substance or mixture:

In compliance with EC regulation No. 1272/2008, 29CFR1910/1200 and GHS Rev. 3 and amendments.

Reproductive toxicity, category 2.

Skin corrosion, category 1B.

Acute toxicity (oral), category 4.

Acute toxicity (inhalation), category 4.

Acute toxicity (dermal), category 4.

Hazard-determining components of labeling:

1,2-Ethanediamine, N1-(2-aminoethyl)-

Benzyl Alcohol

Bisphenol A

Formaldehyde, reaction products with bisphenol A and diethylenetriamine

2.2 Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H361 Suspected of damaging fertility or the unborn child.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: 05.19.2017

Page 2 of 11

EcoPoxy Medium Hardener

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

P302+P352+P312 If on skin: Wash with soap and water. Call a poison center or doctor/physician if you feel unwell.

P303+P361+P353+P310 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

P304+P340+P310 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P308+P313 If exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents and container as instructed in Section 13.

2.3 Other hazards: None known

Information concerning particular hazards for humans and environment:

The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to EC regulation No. 1272/2008, 29CFR1910/1200 and GHS Rev. 3 and amendments, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

3 Composition/information on ingredients

3.1 Substance: Not applicable

3.2 Mixture:

Identification	Name	Classification according to Regulation (EC) No1278/2008 (CLP)	Weight %
CAS number: 100-51-6 EC number: 202-859-9	Benzyl Alcohol	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 Aquatic Acute 2; H401	
CAS number: 111-40-0 EC number: 203-865-4	1,2-Ethanediamine, N1-(2-aminoethyl)-	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Sens. 1; H317 Skin Corr. 1B; H314	
CAS number: 72361-54-7	Formaldehyde, reaction products with bisphenol A and diethylenetriamine	Skin Sens. 1; H317 Skin Irrit. 2 ; H315 Eye Irrit. 2; H319 Stot SE 3; H335	
CAS number: 80-05-7 EC number: 201-245-8	Bisphenol A	Skin Sens. 1; H317 Eye Dam. 1; H318 Stot SE 3; H335 Repr. 2; H361	

Additional information: None

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: 05.19.2017

Page 3 of 11

EcoPoxy Medium Hardener

Full Text of H and EUH statements: See section 16

4 First aid measures

4.1 Description of first aid measures

General information: None.

After inhalation:

- Take precautions to ensure your own safety.
- Remove source of exposure or move person to fresh air and keep comfortable for breathing.
- Immediately call a POISON CONTROL CENTER or seek medical attention.
- If breathing has stopped, trained personnel should begin rescue breathing.
- Avoid mouth-to-mouth contact by using a barrier device.
- If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR).

After skin contact:

- Avoid direct contact and wear chemical protective clothing, if necessary.
- Immediately take off all contaminated clothing.
- Gently blot or brush away excess product.
- Rinse skin with lukewarm, gently flowing water until medical aid is available.
- Immediately call a POISON CONTROL CENTER or seek medical attention.
- Wash contaminated clothing before re-use or discard.

After eye contact:

- Avoid direct contact and wear chemical protective gloves, if necessary.
- Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open.
- Remove contact lenses, if present and easy to do so.
- Continue rinsing until medical aid is available.
- Immediately call a POISON CONTROL CENTER or seek medical attention.

After swallowing:

- Immediately call a POISON CONTROL CENTER or seek medical attention.
- Do not induce vomiting and rinse mouth.
- If vomiting occurs naturally, lie on your side, in the recovery position.
- If breathing has stopped, trained personnel should begin rescue breathing.
- Avoid mouth-to-mouth contact by using a barrier device.
- If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR).

4.2 Most important symptoms and effects, both acute and delayed:

None

4.3 Indication of any immediate medical attention and special treatment needed:

No additional information.

5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition.

Unsuitable extinguishing media: None

5.2 Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

5.3 Advice for firefighters

Protective equipment:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit.

5.4 Additional information: None

6 Accidental release measures

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: 05.19.2017

Page 4 of 11

EcoPoxy Medium Hardener

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure air handling systems are operational.
Wear protective eye wear, gloves and clothing.

6.2 Environmental precautions:

Should not be released into the environment.
Prevent from reaching drains, sewer or waterway.

6.3 Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing.
Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders).
Dispose of contents / container in accordance with local regulations.

6.4 Reference to other sections: None

7 Handling and storage

7.1 Precautions for safe handling:

Use only with adequate ventilation.
Avoid breathing mist or vapor.
Do not eat, drink, smoke or use personal products when handling chemical substances.

7.2 Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.
Protect from freezing and physical damage.
Store in a cool, well-ventilated area.

7.3 Specific end use(s): No additional information.

8 Exposure controls/personal protection



8.1 Control parameters

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
NIOSH	1,2-Ethanediamine, N1-(2-aminoethyl)-	111-40-0	NIOSH TWA 1.0 ppm 4.0 mg/m ³
ACGIH	1,2-Ethanediamine, N1-(2-aminoethyl)-	111-40-0	ACGIH TWA: 1.0 ppm
WEEL	Benzyl Alcohol	100-51-6	WEEL TWA 10.0 ppm

Biological limit value:

No biological exposure limits noted for the ingredient(s).

Derived No Effect Level (DNEL):

Not determined or not applicable.

Predicted No Effect Concentration (PNEC):

Not determined or not applicable.

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.
Biological monitoring may also be appropriate for some substances.

8.2 Exposure controls

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: 05.19.2017

Page 5 of 11

EcoPoxy Medium Hardener

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

Environmental exposure controls:

Select controls based on a risk assessment of local conditions.

See section 6 for information on accidental release measures.

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance (physical state, color):	Light Brown Liquid	Explosion limit lower: Explosion limit upper:	Not Determined Not Determined
Odor:	Amine like	Vapor pressure:	< 1,0 hPa (< 1.0 mm Hg) (Estimated))
Odor threshold:	Not Determined	Vapor density:	Not Determined
pH-value:	Not Determined	Relative density:	Not Determined
Melting/Freezing point:	Not Determined	Solubilities:	Not determined or not available.
Boiling point/range:	205°C	Partition coefficient (n-octanol/water):	Not Determined
Flash point (closed cup):	96°C	Auto/Self-ignition temperature:	Product is not selfigniting
Evaporation rate:	Not Determined	Decomposition temperature:	Not Determined
Flammability (solid, gaseous):	Not Applicable	Dynamic viscosity:	Not Determined
Density:	1,0 g/cm ³	Kinematic viscosity:	Not Determined

10 Stability and reactivity

10.1 Reactivity: Does not react under normal conditions of use and storage.

10.2 Chemical stability: Stable under normal conditions of use and storage.

10.3 Possibility of hazardous reactions: None under normal conditions of use and storage.

10.4 Conditions to avoid: None known.

10.5 Incompatible materials: None known.

10.6 Hazardous decomposition products: None known.

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: 05.19.2017

Page 6 of 11

EcoPoxy Medium Hardener

11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Assessment: Harmful if swallowed Harmful if inhaled Harmful in contact with skin

Product data: No data available.

Substance data:

Name	Route	Result
1,2-Ethanediamine, N1-(2-aminoethyl)-	dermal	LD50 - Rabbit - 1,090 mg/kg
	oral	LD50 - Rat - 1,080 mg/kg
Benzyl Alcohol	oral	LD50 Rat 1,230 mg/kg

Skin corrosion/irritation

Assessment: Causes severe skin burns and eye damage

Product data: No data available.

Substance data:

Name	Result
1,2-Ethanediamine, N1-(2-aminoethyl)-	Corrosive to the skin.
Benzyl Alcohol	Rabbit No skin irritation 24h
Bisphenol A	Causes skin irritation

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Benzyl Alcohol	Rabbit Eye irritation 24h
Bisphenol A	Causes eye irritation

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
1,2-Ethanediamine, N1-(2-aminoethyl)-	Sensitization possible through skin contact.
Bisphenol A	Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: 05.19.2017

Page 7 of 11

EcoPoxy Medium Hardener

Reproductive Toxicity

Assessment: Suspected of damaging fertility or the unborn child

Product data: No data available.

Substance data:

Name	Result
Bisphenol A	Suspected of damaging fertility or the unborn child

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

H335: May cause respiratory irritation.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

12 Ecological information

12.1 Toxicity

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Benzyl Alcohol	LC50 - Lepomis macrochirus (Bluegill) - 10 mg/l - 96 h
	EC50 - Daphnia magna (Water flea) - 55 mg/l - 24 h

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

12.2 Persistence and degradability

Product data: No data available.

Substance data: No data available.

12.3 Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

12.4 Mobility in soil

Product data: No data available.

Substance data: No data available.

12.5 Results of PBT and vPvB assessment

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: 05.19.2017

Page 8 of 11

EcoPoxy Medium Hardener

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

12.6 Other adverse effects:

No data available.

13 Disposal considerations


13.1 Waste treatment methods

Relevant information:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities.

14 Transport information

United States Transportation of dangerous goods (49 CFR DOT)

14.1 UN number	UN2735
14.2 UN proper shipping name	Amines, Liquid, Corrosive, N.O.S. (Diethylenetriamine) 2735 Amines, Liquid, Corrosive, N.O.S. (Diethylenetriamine)
14.3 UN transport hazard class(es)	8 
14.4 Packing group	III
14.5 Environmental hazards	None
14.6 Special precautions for user	Warning: Corrosive substances. Segregation groups Alkalis
Additional Information	ADR Tunnel restriction code E

International Carriage of Dangerous Goods by Road/Rail (ADR/RID)

14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 UN transport hazard class(es)	None
14.4 Packing group	None
14.5 Environmental hazards	None
14.6 Special precautions for user	None

International Carriage of Dangerous Goods by Inland Waterways (ADN)

14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 UN transport hazard class(es)	None
14.4 Packing group	None
14.5 Environmental hazards	None
14.6 Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 UN transport hazard class(es)	None
14.4 Packing group	None
14.5 Environmental hazards	None
14.6 Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: 05.19.2017

Page 9 of 11

EcoPoxy Medium Hardener

14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 UN transport hazard class(es)	None
14.4 Packing group	None
14.5 Environmental hazards	None
14.6 Special precautions for user	None

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Bulk Name	None
Ship type	None
Pollution category	None

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

United States regulations

Inventory listing (TSCA):

111-40-0	1,2-Ethanediamine, N1-(2-aminoethyl)-	Listed
100-51-6	Benzyl Alcohol	Listed

Significant New Use Rule (TSCA Section 5): Not listed

Export notification under TSCA Section 12(b): Not listed

SARA Section 311/312 (Specific toxic chemical listings)

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances: Not listed

SARA Section 313 (specific toxic chemical listings): Not listed

CERCLA: Not listed

RCRA: Not listed

Section 112(r) of the Clean Air Act (CAA): Not listed

Massachusetts Right to Know: Not listed

New Jersey Right to Know: Not listed

New York Right to Know: Not listed

Pennsylvania Right to Know: Not listed

California Proposition 65: Not listed

European regulations

Inventory listing (EINECS): Not determined.

REACH SVHC candidate list: Not listed

REACH SVHC Authorizations: Not listed

REACH Restriction: Not listed

Water hazard class (WGK): Not determined.

Canada regulations

Domestic substances list (DSL):

111-40-0	1,2-Ethanediamine, N1-(2-aminoethyl)-	Listed
100-51-6	Benzyl Alcohol	Listed
80-05-7	Bisphenol A	Listed
72361-54-7	Formaldehyde, reaction products with bisphenol A and diethylenetriamine	Not Listed

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: 05.19.2017

Page 10 of 11

EcoPoxy Medium Hardener

Non-domestic substances list (NDSL): Not listed

China regulations

Inventory of Existing Chemical Substances in China (IECSC):

111-40-0	1,2-Ethanediamine, N1-(2-aminoethyl)-	Listed
100-51-6	Benzyl Alcohol	Listed
80-05-7	Bisphenol A	Listed
72361-54-7	Formaldehyde, reaction products with bisphenol A and diethylenetriamine	Not Listed

Inventory of Prohibited Chemicals: Not listed

Catalog of Hazardous Chemicals: Not listed

List of Toxic Chemicals Restricted to be Imported and Export in China: Not listed

List of Hazardous Chemicals for Priority Management - SAWS: Not listed

The Catalog of Priority Hazardous Chemicals for Environment Management (PHCs)-MEP: Not listed

Australia regulations

Australian Inventory of Chemical Substances (AICS):

111-40-0	1,2-Ethanediamine, N1-(2-aminoethyl)-	Listed
100-51-6	Benzyl Alcohol	Listed
80-05-7	Bisphenol A	Listed
72361-54-7	Formaldehyde, reaction products with bisphenol A and diethylenetriamine	Listed

Japan regulations

Existing and New Chemical Substances (ENCS):

111-40-0	1,2-Ethanediamine, N1-(2-aminoethyl)-	Listed
100-51-6	Benzyl Alcohol	Listed
80-05-7	Bisphenol A	Listed
72361-54-7	Formaldehyde, reaction products with bisphenol A and diethylenetriamine	Listed

Industrial Safety and Health Law (ISHL): Not determined.

Korea regulations

Korea Existing Chemicals List (KECL):

111-40-0	1,2-Ethanediamine, N1-(2-aminoethyl)-	Listed
100-51-6	Benzyl Alcohol	Listed
80-05-7	Bisphenol A	Listed
72361-54-7	Formaldehyde, reaction products with bisphenol A and diethylenetriamine	Not Listed

New Zealand regulations

New Zealand Inventory of Chemicals (NZIoC):

111-40-0	1,2-Ethanediamine, N1-(2-aminoethyl)-	Listed
100-51-6	Benzyl Alcohol	Listed
80-05-7	Bisphenol A	Listed
72361-54-7	Formaldehyde, reaction products with bisphenol A and diethylenetriamine	Listed

Philippine regulations

Philippine Inventory of Chemicals and Chemical Substances (PICCS):

111-40-0	1,2-Ethanediamine, N1-(2-aminoethyl)-	Listed
----------	---------------------------------------	--------

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: 05.19.2017

Page 11 of 11

EcoPoxy Medium Hardener

100-51-6	Benzyl Alcohol	Listed
----------	----------------	--------

Taiwan regulations

Taiwan Chemical Substance Inventory (TCSI):

111-40-0	1,2-Ethanediamine, N1-(2-aminoethyl)-	Listed
100-51-6	Benzyl Alcohol	Listed
80-05-7	Bisphenol A	Listed
72361-54-7	Formaldehyde, reaction products with bisphenol A and diethylenetriamine	Not Listed

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16 Other information

Indication of changes:

Not applicable.

Abbreviations and Acronyms: None

Summary of classification in section 3:

Acute Tox. 4; H302	Acute toxicity (oral), category 4
Acute Tox. 4; H332	Acute toxicity (inhalation), category 4
Eye Irrit. 2; H319	Eye irritation, category 2A
Aquatic Acute 2; H401	Acute aquatic hazard, category 2
Acute Tox. 4; H312	Acute toxicity (dermal), category 4
Skin Sens. 1; H317	Skin sensitization, category 1
Skin Corr. 1B; H314	Skin corrosion, category 1B
Skin Irrit. 2 ; H315	Skin irritation, category 2
Stot SE 3; H335	Specific target organ toxicity - single exposure, category 3, respiratory irritation
Eye Dam. 1; H318	Serious eye damage, category 1
Repr. 2; H361	Reproductive toxicity, category 2

Summary of hazard statements in section 3:

H302	Harmful if swallowed
H332	Harmful if inhaled
H319	Causes serious eye irritation
H401	Toxic to aquatic life
H312	Harmful in contact with skin
H317	May cause an allergic skin reaction
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H335	May cause respiratory irritation
H318	Causes serious eye damage
H361	Suspected of damaging fertility or the unborn child

Disclaimer::

This product has been classified in accordance within GHS guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 05.19.2017

End of Safety Data Sheet